

THOROUGHCLEAN
WATER BLASTERS

P13R-40CE

PRESSURE CLEANER

Petrol Driven - 13HP - RENTAL SPEC - 4350 PSI - Cold Water

4350 PSI

Max Pump Pressure

4000 PSI

Setup Pressure

Honda - Electric Start



Heavy Duty - PETROL - Cold Water - 4350 PSI, 15 LPM.

Heavy Duty Water Blasters - Portable, Skid, Trailer & Wash Bay Units



PH 1300 378 872

WEB www.trhc.com.au

EMAIL sales@trhc.com.au

13HP Heavy Duty, Rental Spec Portable PETROL PRESSURE CLEANER

The ideal portable water blaster that demands high pressure and/or flow in a rugged, tough and over-engineered machine, that will outlast any other water blaster!

MAX PUMP PSI 4350 PSI
STANDARD SETUP PSI 4000 PSI
FLOW/MINUTE 15 LPM

POWERED BY 13HP Class Honda Engine
SIZE 100 x 85 x 95 cm
WEIGHT ~200 kg

POWER SOURCE

- Genuine Honda GX390 electric start engine.
- Close coupled direct drive via 2:1 gearbox.
- Ball bearing supported crankshaft for greater stability.
- Automatic mechanical de-compression system.
- OHV design for increased efficiency and optimal power transfer.

DELIVERY

- Heavy duty glycerine-filled pressure gauge rated to 8,700 PSI.
- Heavy duty galvanized hose reel.

30m R2 thick wall 3/8" HP Hose:

- Rated to 5000 PSI.
- 4x burst rating.
- Hose end sleeved for operator protection.

Italian made dry gun with:

- 900mm insulated stainless steel lance.
- Stainless steel fan nozzle.

PUMP

- **HAWK** XLT11530IR Triplex Pump rated at 4350 PSI max @ 15LPM.
- The pump is de-rated** to 4000 PSI to prolong pump life.
- Ceramic sleeved, stainless steel piston plunger rods and brass pump head.
- Low speed pump at 1450 RPM.

FRAME

- Fully hot dipped galvanised frame
- Extra large 'flat free' wheels for easy rolling over uneven surfaces.

BY-PASS VALVE

- Pulsar Zero 35 by-pass valve. Zero PSI stored downstream when in by-pass.

SUPPLY

- Water supply is via an industrial water filter to protect the pump from water line debris.
- Pump is protected by a stainless steel automatic low water shutdown tank.



DISCLAIMER All images are a representation only and are not to scale. Although care has been taken to ensure the accuracy, completeness and reliability of the information provided, due to ongoing product development and improvements, products may vary from this data sheet. The user of the information agrees that the information is subject to change without notice.

ANALYSIS - DESIGN - CONSTRUCTION - ACCESSORIES

Derating (or de-rating or de-tuning) is the operation of a machine at less than its rated maximum power in order to prolong its life. The term is commonly applied to **electrical and **electronic devices** and to **internal combustion engines**